


## 1310 optical module 40km



## 1310 optical module 40km



1000BASE-EX industrial-grade SFP transceiver module, featuring SMF LC duplex interface, 1310nm wavelength, and supports up to 40km transmission distance with Digital Optical Monitoring (DOM). ...




1000BASE-EX industrial-grade SFP transceiver module, featuring SMF LC duplex interface, 1310nm wavelength, and supports up to 40km transmission distance ...



If the SFP-10G-ER-1310 is connected to a 10Gbase-ER standard optical module (1550nm, 10GE, 40km), the maximum transmission distance is only 20km due to different specifications such as wavelength ...



Featuring a built-in Semtec/Macom chip and reliable DFB laser from global leaders, the 10G SFP+ ER1310 module delivers low power consumption and stable optical links for high-speed single mode ...



Operating at a wavelength of 1310nm, this high-performance module supports transmission up to 40 kilometers and is fully compliant with SFP+ MSA and IEEE 802.3ae standards.



10GBASE-ER SFP+ Transceiver Module (SMF, 1310nm, 40km, LC, Industrial, DOM) FS compatible SFP+ transceiver supports up to 40km link lengths over OS2 SMF via an LC duplex connector.




ML-S31D-40 is 1.25G SFP module with wave length 1310nm, 2 LC connectors for maximal distance 40km with singlemode fiber. SFP module supports DDM - digital diagnostics monitoring.



1x2 ~ 2x64  
Cassette Type Optical Splitter

The Optical Transceiver provides fast and reliable 10G connectivity in data center environments. Its low power consumption feature makes it an energy-efficient option for large-scale data center ...



10G SFP+ ER module is suitable for 10G Ethernet links up to 40km over single-mode fiber using a wavelength for 1310nm via a Duplex LC connector - AscentOptics.



This high-quality Cisco SFP-10G-ER40 Compatible 10GBASE-ER SFP+ 1310nm 40km DOM Transceiver. A cost-effective solution that provides high bandwidth and transmission rates over short ...



SNR-SFP+ER-40-1310 is an SFP+ optical module that supports data transmission up to 40 km. It operates at a wavelength of 1310 nm and provides a speed of up to 10 Gbps. The module is ...

## Contact Us

For more information, pricing, or custom data center solutions, please contact us:

Website: <https://yoahorroenergia.es>

Email: [hello@yoahorroenergia.es](mailto:hello@yoahorroenergia.es)

Phone: +233 54 318 7269

Address: Plot 28, Spintex Road, Accra, Greater Accra, Ghana

This document is for informational purposes only. Specifications subject to change without notice.

