







# **Dimensions of the HL-21G Distribution Box**




## Dimensions of the HL-21G Distribution Box

	<p>Website Design by JAM Group.</p>
	<p>Create and edit web-based documents, spreadsheets, and presentations. Store documents online and access them from any computer.</p>
	<p>Understand distribution boxes (DB boxes) in 5 minutes. Learn about types, components, functions, and uses. Find the perfect DB box for your needs.</p>
	<p>DC Micro Style Distribution Boxes Four-pin, One Signal per Port Cable Connector Distribution Box Eight-port DC Micro Distribution Box Specifications</p>
	<p>Size 21 Gas Copper Lantern, single gas burner Product Specification Item # HL21G Dimensions Height: 20.50" Width: 8.50" Length: 10.50" Additional product details Vendor Item # HL21G Category Exterior ...</p>



First dash number indicates nominal diameter in 1/32nds. Second dash number indicates maximum grip in 1/16ths. See Finish note for explanation of code letters.



HYLAND 21 Gas With Post Fitter (HL-21G PF3) /4"Gas Line



Our distribution boxes are perfect for industrial environments, catering to automation, robotics, and processing facilities. They provide cost-effective solutions through automated dispensing and ...



Flat pads can be include (2) transformer tie-down clips. SKUs for these products have a "T" added to the end. Example: HL424204-1220T.



These will take you directly to our detailed digital information, e.g. the Design Selector, information about assembly, removal and adjustment, application videos and/or the Machinery Directive.

## Contact Us

For more information, pricing, or custom data center solutions, please contact us:

Website: <https://yoahorroenergia.es>

Email: [hello@yoahorroenergia.es](mailto:hello@yoahorroenergia.es)

Phone: +233 54 318 7269

Address: Plot 28, Spintex Road, Accra, Greater Accra, Ghana

This document is for informational purposes only. Specifications subject to change without notice.

