


# How to clear the configuration of an optical switch

Dimensions:



## Overview

To clear switch configuration you need access to the Cisco Catalyst Switch console through either a physical console or a Telnet connection. Issue the erase starting-config command in Privileged EXEC mode. You can: Create or delete VLANs in batches and configure VLAN parameters using the VLAN data-base configuration mode and VLAN configuration mode, respectively (page 14). Also, you will learn how to reset a Cisco 2960 switch back to factory settings manually without knowing the enable password and. \*If you forget the device password, but want to restore the device to the factory settings, you can refer to the "password recovery" operation, enter the operating mode and restore the factory settings as follows. Restore factory settings Do you want to delete [flash:/config. text]?

[Y/N]:y File. ware embedded within the unit described in this manual\*. clear configuration interface interface-type interface-number Indicates the type and number of the interface where one-touch configuration clearance is performed.


## How to clear the configuration of an optical switch



Deleting the configuration of a Cisco router or switch can be useful if you want to reset the device to its default configuration or troubleshoot problems in the network.



How to Reset A Cisco Switch to Factory Defaults Using The CLI Interface  
 How to Reset A Cisco Switch to Factory Default Using The Mode Button  
 Related Lessons to How to Reset A Cisco Switch to Factory Defaults  
 Conclusion  
 Resetting a stackable Cisco switch, like Cisco Catalyst Switch 2960 series, to factory settings manually is a super easy task. All you need to do is hold down the switch's mode button for 10 seconds. In this case, the switch's lights start to blink, and then all switch configurations are restored back to their factory settings. Here is a video that...  
 See more on itskillbuilding .sb\_doct\_txt{color:#4007a2;font-size:11px;line-height:21px;margin-right:3px;vertical-align:super}.b\_dark .sb\_doct\_txt{color:#82c7ff}fs



To clear switch configuration you need access to the Cisco Catalyst Switch console through either a physical console or a Telnet connection. Issue the erase starting-config command in ...



In this tutorial, you will learn the Cisco IOS commands used to clear all switch configurations with or without CLI/console port and whether you know the enable password.




When you plan to replace a configured optical module with a different type of optical module, you must clear the configurations of the old module before you install the new module. For ...



Under some situation, you want to remove all configurations from switch and reset it back to factory default status. By resetting switch to factory default, we will get a clean switch and reconfigure it to ...



ZXR10 8900 Series Command Reference (Basic Configuration Volume II) Enable the optical module on the interface first, then it will display the optical module information: optical-inform monitor {enable | ...



To reduce the maintenance workload and simplify the deletion operation, you can use this command to perform one-touch configuration clearance on an interface. You can also run the clear configuration ...



If the administrator forgets the login password and cannot enter the configuration mode for configuration, then you need to use the configuration line to enter the CTRL layer for password recovery.



Patch cords should not carry significant optical powers when mating and de-mating with the switch optical bulkhead connectors, as this could damage the patch cord, the connectors or the switch and ...



This command will save the configuration that is currently being modified (in RAM), also known as the running-configuration, to the nonvolatile RAM (NVRAM). If the power is lost, the ...

## Contact Us

For more information, pricing, or custom data center solutions, please contact us:

Website: <https://yoahorroenergia.es>

Email: [hello@yoahorroenergia.es](mailto:hello@yoahorroenergia.es)

Phone: +233 54 318 7269

Address: Plot 28, Spintex Road, Accra, Greater Accra, Ghana

This document is for informational purposes only. Specifications subject to change without notice.

