





Huawei optical module certification failed

Ordering information

NO.	1	2	3	4
Model	FS041	FS042	FS1243	FS16M4
Product name	Patch Panel	Patch Panel	Patch Panel	Patch Panel
Illustration				
HU	1	2	3	4
Maximum number of cores	96	192	288	384
Product size (excluding modules and adapters)	482.6*208.7*43.7mm	482.6*208.7*88.1mm	482.6*208.7*132.5mm	482.6*208.7*177.7mm
Standard color code	RAL9005	RAL9005	RAL9005	RAL9005

Overview


Remove and reinstall the optical module. If the fault persists, collect log information and contact Huawei technical support personnel. The self-loop of a single fiber cannot go Up. For example, whether the cable is active is passive and the cable. To restrict the use of third-party modules on their devices, host manufacturers usually conduct inspections on the optical modules that are connected, including but not limited to reading the optical module manufacturer name, model number, serial number, custom part of the data (encrypted). Check the model of the faulty optical module.



Huawei optical module certification failed



If this optical module is not delivered from Huawei or is not customized for Huawei, replace it with a Huawei-customized optical module. Cause 2: Temperature of the installed optical ...



When authentication Huawei optical module, the optical module of a comprehensive verification function, effectively guarantee the quality of the optical module.



Remove and reinstall the optical module. If the fault persists, replace the optical module with a normal one of the same type to check whether the optical module is faulty. If the fault persists, collect log ...




Devices must use optical modules certified by Huawei. Those that are not certified by Huawei cannot ensure service reliability, and the corresponding optical interfaces may fail to go up. Check whether ...



Check whether the optical module is Huawei-certified. If it is not certified by Huawei, replace it with a Huawei certified one. Remove and reinstall the optical module. If this resolves the ...




For details, see [How Can I Determine Whether an Optical Module Is Huawei-Certified](#). If so, collect alarm information and configuration information, and then contact technical support ...




If this optical module was delivered from Huawei earlier, run the `transceiver phony-alarm-disable` command to disable the alarm function for non-Huawei customized optical modules.



To restrict the use of third-party modules on their devices, host manufacturers usually conduct inspections on the optical modules that are connected, including but not limited to reading ...



Check whether the transmit optical power and receive optical power of the optical module are within the normal range. If the transmit optical power is beyond the normal range, replace the ...



Check the model of the faulty optical module. If it is not a Huawei-certified optical module, replace it with a Huawei-certified optical module. If the optical module is installed on a GE port, run the `display ...`

Contact Us

For more information, pricing, or custom data center solutions, please contact us:

Website: <https://yoahorroenergia.es>

Email: hello@yoahorroenergia.es

Phone: +233 54 318 7269

Address: Plot 28, Spintex Road, Accra, Greater Accra, Ghana

This document is for informational purposes only. Specifications subject to change without notice.

