

Iron frame optical cable fixing clamp



Iron frame optical cable fixing clamp



Clamps for ACSR (Aluminum Conductor Steel Reinforced) Wire AERIAL CABLE HEAVY DUTY MESSENGER CLAMP AERIAL MESSENGER CABLE CLAMP MESSENGER CABLE EXTENSION



The Frame Clamp Kit comes with bracket for mounting onto the frame, clamp shells and mounting hardware. Mounts to 19" or 23" (482.60 mm or 584.20 mm) standing frames or cabinets.



YK-P-02 is designed for supporting mounting of an optical cable on intermediate supports of overhead lines with voltage up to 20kV, urban electrical facilities (street lighting, land electrical transport).YK-P ...



We supply various clamps and brackets for ADSS or drop cable install solutions. Cable clamp and bracket are very important factor during telecommunication projects.



The cable clamp is used in outdoor, pole, and between building spaces to connect, fix the optical cable wires, the groove body, the wire frame and the rod, and constitutes a cable as a whole. The interior ...



Durable fiber optic cable clamps for round, flat, ADSS, and Figure-8 cables, ensuring safe and organized installation in aerial and indoor projects.



TTF is a manufacturer and supplier of overhead suspension clamp for ADSS, OPGW and ABC cable, protects conductor and optical fiber from vibration and abrasion.



CommScope designs and manufactures a variety of Fiber Cable Clamps and Grounding Kits



Product descriptions from the supplier Optical Drop Wire Cable Tension Suspension Clamp TPR+Iron Cable Clamp Product Description



The bending radius of optical cable during laying process should be effectively guaranteed to avoid “gold hooks” and avoid too much tension, abrasion and too many times of twists and turns.

Contact Us

For more information, pricing, or custom data center solutions, please contact us:

Website: <https://yoahorroenergia.es>

Email: hello@yoahorroenergia.es

Phone: +233 54 318 7269

Address: Plot 28, Spintex Road, Accra, Greater Accra, Ghana

This document is for informational purposes only. Specifications subject to change without notice.

