

Three-port optical circulator



Three-port optical circulator



Series 1310/1550 optical circulators are non-reciprocal devices redirect light from port-to-port in one direction while minimizing and scattering in the reverse directions for any state of polarization.



3-port 1550nm Optical Circulator The H-CIRC-3P is an optical circulator that allows light to travel through in only one direction.



The 3 port Polarization Insensitive Optical Circulator is a compact, high-performance light-wave component that routes incoming signals from Port 1 to Port 2, and incoming Port 2 signals to Port 3.



It provides low insertion loss, broad band high isolation, low PDL, excellent temperature stability and optical path epoxy free. It can be used for wavelength add/drop, dispersion compensation and EDFA ...




The 3-port optical circulator is a multi-port non-mutual-easy optical device, and light can only travel in one direction.



Understanding the structure, function, and application scenarios of 3-port optical circulators is essential for professionals and researchers working towards advancing fiber system ...



The lead-time for special Fiber length will be longer.



Our widely used three port fiber optic circulator is a compact, high performance optical device that transmits the signal from port 1 to port 2, and from port 2 to port 3 simultaneously.



Fiberdyne Labs" Passive 3-Port Optical Circulator device that couples light from Port 1 to 2 and Port 2 to 3 and have high isolation in other directions.



GEZHI Photonics 3port Optical Circulator is widely used in advanced communication systems and fiber-optical sensor systems. GEZHI Photonics" Three-port 1x2 Optical Circulator allows light to travel in ...

Contact Us

For more information, pricing, or custom data center solutions, please contact us:

Website: <https://yoahorroenergia.es>

Email: hello@yoahorroenergia.es

Phone: +233 54 318 7269

Address: Plot 28, Spintex Road, Accra, Greater Accra, Ghana

This document is for informational purposes only. Specifications subject to change without notice.

